



Click the banner to go to the Document.

01

**PATIENT INFORMATION LEAFLET
ADVANCED AMBROTOSE® POWDER**

02

**PASIËNTINLIGTINGSBLAD
ADVANCED AMBROTOSE® POWDER**

03

**PROFESSIONAL INFORMATION FOR
ADVANCED AMBROTOSE® POWDER**



PATIENT INFORMATION LEAFLET ADVANCED AMBROTOSE® POWDER

SCHEDULING STATUS

S0

ADVANCED AMBROTOSE® POWDER
Multiple ingredient formulation.
Sugar free.

COMPLEMENTARY MEDICINE: COMBINATION PRODUCT

This unregistered medicine has not been evaluated by SAHPRA for its quality, safety or intended use.

Read all of this leaflet carefully because it contains important information for you.

ADVANCED AMBROTOSE® POWDER is available without a doctor's prescription, for you to maintain your health. Nevertheless, you still need to use ADVANCED AMBROTOSE® POWDER carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share ADVANCED AMBROTOSE® POWDER with any other person.
- Ask your pharmacist if you need more information or advice.

What is in this leaflet

1. What ADVANCED AMBROTOSE® POWDER is and what it is used for.
2. What you need to know before you take ADVANCED AMBROTOSE® POWDER.
3. How to take ADVANCED AMBROTOSE® POWDER.
4. Possible side effects.
5. How to store ADVANCED AMBROTOSE® POWDER.
6. Contents of the pack and other information.

1. What ADVANCED AMBROTOSE® POWDER is and what it is used for

ADVANCED AMBROTOSE® POWDER is a combination complementary medicine intended to provide support for your immune system and help maintain healthy digestive function.

2. What you need to know before you take ADVANCED AMBROTOSE POWDER

Do not take ADVANCED AMBROTOSE® POWDER:

- If you are hypersensitive (allergic) to β -carotene, Ambrotose® Complex or any of the other ingredients of ADVANCED AMBROTOSE® POWDER (see section 6).
- If you have abnormal constrictions of your digestive tract, or a lazy or blocked large colon (causing chronic constipation).
- If you have appendicitis (inflammation of your appendix).
- If you have an inflammatory colon disease (e.g. Crohn's disease or ulcerative colitis).
- If you have abdominal pain with an unknown cause.
- If you have undiagnosed rectal bleeding.
- If you are severely dehydrated.
- If you have haemorrhoids (piles) or diarrhoea.
- If you are pregnant or breastfeeding.

Warnings and precautions

Take special care with ADVANCED AMBROTOSE® POWDER:

- If you are having any surgical procedure done. You should stop taking ADVANCED AMBROTOSE® POWDER two weeks before an operation.
- If you experience abdominal pain, cramps, spasms and/or diarrhoea after taking ADVANCED AMBROTOSE® POWDER, you should stop taking ADVANCED AMBROTOSE® POWDER or reduce your dose of ADVANCED AMBROTOSE® POWDER.

You should consult with your doctor or health care provider before taking ADVANCED AMBROTOSE® POWDER:

- If you have symptoms such as nausea, vomiting or fever.
- If you have any heart or kidney problems.

Other medicines and ADVANCED AMBROTOSE® POWDER

Always tell your health care provider if you are taking any other medicine. (This includes all complementary or traditional medicines.)

Tell your doctor or pharmacist if you are currently using:

- Cardiac medicines (e.g. cardiac glycosides (used to treat heart failure) or antidysrhythmic medicines (used to prevent and treat abnormal heartbeats)).
- Diuretics (water pills), corticosteroids (used to treat inflammation), liquorice root or other medicines or products that may worsen your electrolyte imbalance in your body.
- Anticoagulant medicines (used to prevent your blood from clotting) or herbal supplements with blood thinning effects.

ADVANCED AMBROTOSE® POWDER with food, drink and alcohol

See section 3.

Pregnancy, breastfeeding and fertility

If you are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby, please consult your doctor, pharmacist or other health care provider for advice before taking ADVANCED AMBROTOSE® POWDER.

Do not use ADVANCED AMBROTOSE® POWDER if you are pregnant or breastfeeding (see **Do not take ADVANCED AMBROTOSE® POWDER**).

Driving and using machines

ADVANCED AMBROTOSE® POWDER is unlikely to have an effect on your ability to drive a vehicle and use machines.

3. How to take ADVANCED AMBROTOSE® POWDER

Do not share medicines with any other person.

Always take ADVANCED AMBROTOSE® POWDER exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

Adults:

The usual dose is: 1 scoop (2 grams) taken with a glass of water or juice, twice daily.

Do not exceed the recommended dosage.

If you have the impression that the effect of ADVANCED AMBROTOSE® POWDER is too strong or too weak, tell your doctor or pharmacist.

If you take more ADVANCED AMBROTOSE® POWDER than you should

In the event of an overdose, consult your doctor or pharmacist. If neither is available contact the nearest hospital or poison centre.

Take this leaflet and the remaining ADVANCED AMBROTOSE® POWDER with you so the doctor will know what you have taken.

4. Possible side effects

ADVANCED AMBROTOSE® POWDER can have side effects.

Not all side effects reported for ADVANCED AMBROTOSE® POWDER are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking ADVANCED AMBROTOSE® POWDER, please consult your health care provider for advice.

If any of the following happens, stop taking ADVANCED AMBROTOSE® POWDER and tell your doctor immediately or go to the casualty department at your nearest hospital:

- swelling of your hands, feet, ankles, face, lips, mouth or throat, which may cause difficulty in swallowing or breathing
- rash or itching
- fainting.

These are all very serious side effects. If you have them, you may have had a serious allergic reaction to ADVANCED AMBROTOSE® POWDER. You may need urgent medical attention or hospitalisation.

Tell your doctor if you notice any of the following:

Side effects occurring less frequently:

- stomach pain or cramps, bloating, flatulence (wind).

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

Reporting of side effects

If you get side effects, talk to your doctor or pharmacist. You can also report side effects to SAHPRA via the Med Safety APP (Medsafety X SAHPRA) and eReporting platform (who-umc.org) found on SAHPRA website.

By reporting side effects, you can help provide more information on the safety of ADVANCED AMBROTOSE® POWDER.

5. How to store ADVANCED AMBROTOSE® POWDER

- Store at or below 25 °C, in a dry place.
- Keep the bottle tightly closed.
- Do not use if inner seal is missing or broken.
- Store all medicines out of reach of children.
- Do not use after the expiry date printed on the packaging.
- Return all unused medicine to your pharmacist.
- Do not dispose of unused medicine in drains and sewerage systems (e.g. toilets).

6. Contents of the pack and other information

What ADVANCED AMBROTOSE® POWDER contains

Each scoop (2 g) contains:

Ambrotose® Complex	1 999 mg
providing <i>Larix laricina</i> (Du Roi) K. Koch (Larch Arabinogalactan)	(1 188 mg)
<i>Astragalus gummifer</i> Labill. (Tragacanth)	(200 mg)
Glucosamine hydrochloride	(200 mg)
<i>Oryza sativa</i> L. (Rice starch)	(200 mg)
[seed powder]	
<i>Aloe vera</i> (L.) Burm.f. (Aloe)	(106 mg)
[dry inner leaf juice]	
Manapol® <i>Aloe vera</i> (L.) Burm.f. (Aloe)	(95 mg)
[inner leaf gel, 415:1 extract, providing 39 g fresh herb equivalent]	
<i>Undaria pinnatifida</i> (Wakame)	(10,0 mg)
[fronds, 5:1 extract, providing 50 mg dried herb equivalent]	
β-carotene (from <i>Blakeslea trispora</i> fungus)	167 µg
providing Vitamin A	(46 IU)
Sugar free.	

ADVANCED AMBROTOSE® POWDER contains no other ingredients.

What ADVANCED AMBROTOSE® POWDER looks like and contents of the pack

Beige, free flowing powder with orange speckles.

White HDPE container with a white polypropylene cap.

Pack sizes: 60 g or 120 g.

Holder of Certificate of Registration

LeBasi Pharmaceuticals (Pty) Ltd

San Domenico Building, Ground Floor, Unit 6

10 Church Street

Durbanville, 7551

South Africa

Tel.: 087 551 3245

This leaflet was last revised in

August 2026

Registration number

Will be allocated by SAHPRA upon registration.

Access to corresponding Professional Information

<https://library.mannatech.com/download/12223>



PASIËNTINLIGTINGSBLAD ADVANCED AMBROTOSE® POWDER

SKEDULERINGSSTATUS

S0

ADVANCED AMBROTOSE® POWDER

Formule met verskeie bestanddele.
Suikervry.

KOMPLEMENTÊRE MEDISYNE: KOMBINASIEPRODUK

Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

Lees hierdie hele inligtingsblad aandagtig deur want dit bevat inligting wat belangrik is vir jou.

ADVANCED AMBROTOSE® POWDER is beskikbaar sonder 'n dokter se voorskrif, vir jou om jou gesondheid in stand te hou. Jy moet ADVANCED AMBROTOSE® POWDER nietemin steeds versigtig gebruik om die beste resultate te verkry.

- Hou hierdie inligtingsblad. Dit mag nodig wees dat jy dit weer lees.
- Moenie ADVANCED AMBROTOSE® POWDER met 'n ander persoon deel nie.
- Vra gerus jou apteker indien jy verdere inligting of advies nodig het.

Wat is in hierdie inligtingsblad

1. Wat is ADVANCED AMBROTOSE® POWDER en waarvoor word dit gebruik.
2. Wat jy moet weet voordat jy ADVANCED AMBROTOSE® POWDER neem.
3. Hoe om ADVANCED AMBROTOSE® POWDER te neem.
4. Moontlike nuwe-effekte.
5. Hoe om ADVANCED AMBROTOSE® POWDER te bêre.
6. Inhoud van die pak en ander inligting.

1. Wat is ADVANCED AMBROTOSE® POWDER en waarvoor word dit gebruik

ADVANCED AMBROTOSE® POWDER is 'n kombinasie- komplementêre medisyne wat bedoel is om jou immuunstelsel te ondersteun en te help om gesonde funksionering van jou verteringstelsel te onderhou.

2. Wat jy moet weet voordat jy ADVANCED AMBROTOSE POWDER neem

Moenie ADVANCED AMBROTOSE® POWDER neem nie:

- Indien jy hipersensitief (allergies) is vir β -karoteen, AMBROTOSE®-kompleks of enige van die ander bestanddele van ADVANCED AMBROTOSE® POWDER (sien afdeling 6).
- Indien jy abnormale vernouings van jou spysverteringskanaal, of 'n lui of verstopte dikderm het (wat chroniese hardlywigheid veroorsaak).
- Indien jy appendisitis (blindedermonsteking) het.
- Indien jy 'n inflammatoriese siekte van die kolon het (bv. Crohn se siekte of ulseratiewe kolitis).
- Indien jy buikpyn het waarvan die oorsaak onbekend is.
- Indien jy ongediagnoseerde rektale bloeding het.
- Indien jy erg gedehidreer is.
- Indien jy hemorroïede (aambeie) of diarree het.
- Indien jy swanger is of borsvoed.

Waarskuwings en voorsorgmaatreëls

• Wees versigtig met ADVANCED AMBROTOSE® POWDER:

Indien jy enige operasie moet ondergaan. Jy moet twee weke voor chirurgie ophou om ADVANCED AMBROTOSE® POWDER te neem.

- Indien jy buikpyn, -krampe en/of diarree ervaar nadat jy ADVANCED AMBROTOSE® POWDER geneem het, moet jy ophou om ADVANCED AMBROTOSE® POWDER te neem of die dosis ADVANCED AMBROTOSE® POWDER wat jy neem verlaag.

Jy behoort jou dokter of gesondheidsorgverskaffer te raadpleeg voordat jy ADVANCED AMBROTOSE® POWDER neem:

- Indien jy simptome soos naarheid, braking of koors het.
- Indien jy hart of nierprobleme het.

Ander medisyne en ADVANCED AMBROTOSE® POWDER

Sê altyd vir jou gesondheidsorgverskaffer indien jy enige ander medisyne neem. (Dit sluit alle komplementêre of tradisionele medisynes in.)

Sê vir jou dokter of apteker indien jy tans die volgende gebruik:

- Hartmedisyne (bv. kardiaale glikosiede [gebruik om hartversaking te behandel] of antidisritmiese medisyne [gebruik om abnormale hartritme te voorkom en te behandel]).
- Diuretika (waterpille), kortikosteroïede (gebruik om inflammasie te behandel), soethoutwortel of ander medisyne of produkte wat 'n wanbalans van elektroliete in jou liggaam kan vererger.

- Antikoagulant-medisyn (gebruik om te keer dat jou bloed stol) of kruie-aanvullings met bloedverdunnende effekte.

ADVANCED AMBROTOSE® POWDER met kos, drinkgoed en alkohol

Sien afdeling 3.

Swangerskap, borsvoeding en vrugbaarheid

Indien jy swanger is of jou baba borsvoed, vermoed dat jy swanger mag wees of beplan om swanger te raak, raadpleeg asseblief jou dokter, apteker of ander gesondheidsorgverskaffer voordat jy ADVANCED AMBROTOSE® POWDER neem.

Moenie ADVANCED AMBROTOSE® POWDER neem indien jy swanger is of jou baba borsvoed nie (sien **Moenie ADVANCED AMBROTOSE® POWDER neem nie**).

Bestuur en die gebruik van masjiene

Dit is onwaarskynlik dat ADVANCED AMBROTOSE® POWDER jou vermoë om 'n voertuig te bestuur en masjiene te gebruik sal affekteer.

3. Hoe om ADVANCED AMBROTOSE® POWDER te neem

Moenie jou medisyne met enigiemand anders deel nie.

Neem ADVANCED AMBROTOSE® POWDER altyd presies soos wat in hierdie inligtingsblad aangedui word, of soos wat jou dokter of apteker vir jou aangewys het. Vra gerus jou dokter of apteker indien jy onseker is.

Volwassenes:

Die gebruikelike dosis is: 1 maatlepel (2 gram) met 'n glas water of sap, twee keer per dag geneem.

Moenie die aanbevole dosis oorskry nie.

Indien jy die indruk kry dat die uitwerking van ADVANCED AMBROTOSE® POWDER te sterk of te swak is, bespreek dit met jou dokter of apteker.

Wat om te doen indien jy meer ADVANCED AMBROTOSE® POWDER geneem het as wat jy moet

In die geval van 'n oordosis, raadpleeg jou dokter of apteker. Indien nie een van hulle beskikbaar is nie, kontak die naaste hospitaal of gifsentrum. Neem hierdie inligtingsblad en die oorblywende ADVANCED AMBROTOSE® POWDER saam sodat die dokter kan sien wat jy geneem het.

4. Moontlike nuwe-effekte

ADVANCED AMBROTOSE® POWDER kan nuwe-effekte hê.

Nie alle nuwe-effekte wat vir ADVANCED AMBROTOSE® POWDER

gerapporteer is, word in hierdie inligtingsblad ingesluit nie. Indien jou algemene gesondheid verswak of indien jy enige ongunstige effekte ondervind terwyl jy ADVANCED AMBROTOSE® POWDER neem, raadpleeg asseblief jou gesondheidsorgverskaffer.

Indien enige van die volgende gebeur, hou op om ADVANCED AMBROTOSE® POWDER te neem en sê dadelik vir jou dokter of gaan na die ongevalle-afdeling by jou naaste hospitaal:

- swelling van jou hande, voete, enkels, gesig, lippe, mond of keel, wat probleme kan veroorsaak met sluk en asemhaling
- uitslag of gejeuk
- floute.

Hierdie is baie ernstige newe-effekte. Indien jy enige daarvan ondervind, mag jy 'n ernstige allergiese reaksie op ADVANCED AMBROTOSE® POWDER gehad het. Jy mag dringende mediese bystand of hospitalisasie benodig.

Sê vir jou dokter indien jy enige van die volgende opmerk:

Newe-effekte wat minder dikwels voorkom

- maagpyn of -krampe, opgeblasenheid, winderigheid.

Indien jy enige newe-effekte opmerk wat nie in hierdie inligtingsblad genoem word nie, lig asseblief jou dokter of apteker in.

Rapportering van newe-effekte

Indien jy newe-effekte ondervind, bespreek dit met jou dokter of apteker. Jy kan ook newe-effekte aan SAHPRA rapporteer via die Med Safety-toepassing (Medsafety X SAHPRA) en eRapportering-platform (who-umc.org), wat op SAHPRA se webwerf beskikbaar is.

Deur newe-effekte te rapporteer kan jy help om meer inligting rakende die veiligheid van ADVANCED AMBROTOSE® POWDER te verskaf.

5. Hoe om ADVANCED AMBROTOSE® POWDER te bêre

- Bêre by of onder 25 °C, op 'n droë plek.
- Hou die bottel dig toe.
- Moenie gebruik indien die seël aan die binnekant weg of beskadig is nie.
- Bêre alle medisyne buite bereik van kinders.
- Moenie gebruik ná die vervaldatum wat op die verpakking gedruk is nie.
- Neem alle ongebruikte medisyne terug na jou apteker.
- Moenie ongebruikte medisyne in dreine en rioolsisteme (bv. toilette) weggooi nie.

6. Inhoud van die pak en ander inligting

Wat ADVANCED AMBROTOSE® POWDER bevat

Elke maatlepel (2 g) bevat:

Ambrotose® kompleks	1 999 mg
verskaf <i>Larix laricina</i> (Du Roi) K. Koch (Lariks arabinogalaktaan)	(1 188 mg)
<i>Astragalus gummifer</i> Labill. (Tragakant)	(200 mg)
Glukosamienhidrochloried	(200 mg)
<i>Oryza sativa</i> L. (Rysstysel) [saadpoeier]	(200 mg)
<i>Aloe vera</i> (L.) Burm.f. (Aalwyn) [droë sap van binneste blare]	(106 mg)
Manapol® <i>Aloe vera</i> (L.) Burm.f. (Aalwyn) [jel van binneste blare, 415:1 ekstrak, lewer 39 g vars kruie ekwivalent]	(95 mg)
<i>Undaria pinnatifida</i> (Wakame seewier) [blare, 5:1 ekstrak, lewer 50 mg gedroogde kruie ekwivalent]	(10,0 mg)
β-carotene (vanaf <i>Blakeslea trispora</i> fungus) verskaf Vitamien A	167 µg (46 IE)

ADVANCED AMBROTOSE® POWDER bevat geen ander bestanddele nie.

Hoe ADVANCED AMBROTOSE® POWDER lyk en inhoud van die verpakking

Beige met oranje spikkels, vryvloeiende poeier.
Wit HDPE-houer met 'n wit polipropileendeksel.
Verpakkingsgroottes: 60 g of 120 g.

Houer van die Registrasiesertifikaat

LeBasi Pharmaceuticals (Edms.) Bpk.
San Domenico-gebou, Grondvloer, Eenheid 6
Kerkstraat 10
Durbanville, 7551
Suid-Afrika
Tel: 087 551 3245

Hierdie inligtingsblad is laas hersien in
Augustus 2026

Registrasienommer

Sal met registrasie deur SAHPRA toegeken word.

Toegang tot die ooreenstemmende Professionele Inligtingsblad

<https://library.mannatech.com/download/12223>



PROFESSIONAL INFORMATION FOR ADVANCED AMBROTOSE® POWDER

®

COMPLEMENTARY MEDICINE: COMBINATION PRODUCT

This unregistered medicine has not been evaluated by SAHPRA for its quality, safety or intended use.

SCHEDULING STATUS

S0

1. NAME OF THE MEDICINE

ADVANCED AMBROTOSE® POWDER

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Each scoop (2 g) contains:

Ambrotose® Complex	1 999 mg
providing <i>Larix laricina</i> (Du Roi) K. Koch (Larch Arabinogalactan)	(1 188 mg)
<i>Astragalus gummifer</i> Labill. (Tragacanth)	(200 mg)
Glucosamine hydrochloride	(200 mg)
<i>Oryza sativa</i> L. (Rice starch)	(200 mg)
[seed powder]	
<i>Aloe vera</i> (L.) Burm.f. (Aloe)	(106 mg)
[dry inner leaf juice]	
Manapol® <i>Aloe vera</i> (L.) Burm.f. (Aloe)	(95 mg)
[inner leaf gel, 415:1 extract, providing 39 g fresh herb equivalent]	
<i>Undaria pinnatifida</i> (Wakame)	(10,0 mg)
[fronds, 5:1 extract, providing 50 mg dried herb equivalent]	
β-carotene (from <i>Blakeslea trispora</i> fungus)	167 µg
providing Vitamin A	(46 IU)
Sugar free.	

For the full list of excipients, see section 6.1.

3. PHARMACEUTICAL FORM

Powder.

Beige, free flowing powder with orange speckles.

4. CLINICAL PARTICULARS

4.1 Therapeutic indications

ADVANCED AMBROTOSE® POWDER is a combination complementary medicine intended to provide support for the immune system and help maintain healthy digestive function.

4.2 Posology and method of administration

Adults: Take 1 scoop (2 grams) with a glass of water or juice, twice daily. Do not exceed the recommended dosage.

4.3 Contraindications

- Hypersensitivity to β -carotene, Ambrotose® Complex (see section 2) or to any of the excipients listed in section 6.1.
- Abnormal constrictions of the gastrointestinal tract, potential or existing intestinal blockage, atonic bowel, appendicitis, inflammatory colon disease (e.g. Crohn's disease or ulcerative colitis), abdominal pain of unknown origin, undiagnosed rectal bleeding, severe dehydration with depleted water or electrolytes, haemorrhoids or diarrhoea.
- Pregnancy or lactation.

4.4 Special warnings and precautions for use

ADVANCED AMBROTOSE® POWDER might interfere with blood glucose control during and after surgical procedures. Patients should be advised to discontinue ADVANCED AMBROTOSE® POWDER at least 2 weeks prior to any surgical procedures.

Patients with faecal impaction or symptoms such as abdominal pain, nausea, vomiting or fever should consult a health care provider prior to use.

Patients with a cardiac or kidney disorder should consult a health care provider prior to use.

If abdominal pain, cramps, spasms and/or diarrhoea is experienced after taking ADVANCED AMBROTOSE® POWDER, patients should stop taking ADVANCED AMBROTOSE® POWDER or reduce the dose.

4.5 Interaction with other medicines and other forms of interaction

Cardiac or diuretic medicines:

Patients taking cardiac medicines (e.g. cardiac glycosides or antidysrhythmic medicines), thiazide diuretics, corticosteroids, liquorice root, or other medicines or health products that may aggravate electrolyte imbalance, should consult with a health care provider prior to use.

Anticoagulant or antiplatelet medicines:

ADVANCED AMBROTOSE® POWDER may potentiate the effects of anticoagulant and antiplatelet medicines or herbal supplements with blood thinning effects.

4.6 Fertility, pregnancy and lactation

ADVANCED AMBROTOSE® POWDER should not be used during pregnancy and lactation (see section 4.3).

4.7 Effects on ability to drive and use machines

ADVANCED AMBROTOSE® POWDER is unlikely to affect the ability to drive and use machines.

4.8 Undesirable effects**Immune system disorders:**

Less frequent: hypersensitivity reactions.

Gastrointestinal disorders:

Less frequent: abdominal pain and cramps, bloating, flatulence.

Reporting of suspected adverse reactions:

Reporting suspected adverse reactions after authorisation of ADVANCED AMBROTOSE® POWDER is important. It allows continued monitoring of the benefit/risk balance of ADVANCED AMBROTOSE® POWDER. Health care providers are asked to report any suspected adverse reactions to SAHPRA via the Med Safety APP (Medsafety X SAHPRA) and eReporting platform (who-umc.org) found on SAHPRA website.

4.9 Overdose

In overdose, side effects can be precipitated and/or be of increased severity. See section 4.8.

In the event of overdose, treatment should be symptomatic and supportive.

5. PHARMACOLOGICAL PROPERTIES

Category and class: D 33.7 Combination Product.

Mechanism of action:

Aloe has anti-inflammatory, antioxidant, detoxification and immune-boosting properties.

Larch arabinogalactan has immune-boosting properties.

When ingested, the bulk of tragacanth stretches the intestinal wall, increasing peristalsis. It increases stool weight and decreases gastrointestinal (GI) transit time.

Glucosamine hydrochloride has immune-boosting properties.

Wakame is a source of fucoidans which aid in stimulating the immune system.

Vitamin A is a fat-soluble vitamin that contributes to immune function.

Rice starch has antioxidant properties.

6. PHARMACEUTICAL PARTICULARS

6.1 List of excipients

None.

6.2 Incompatibilities

Not applicable.

6.3 Shelf life

24 months.

6.4 Special precautions for storage

Store at or below 25 °C, in a dry place.

Keep the bottle tightly closed.

Do not use if inner seal is missing or broken.

6.5 Nature and contents of container

White HDPE container with a white polypropylene cap containing 120 g powder.

6.6 Special precautions for disposal and other handling

No special requirements.

7. HOLDER OF CERTIFICATE OF REGISTRATION

LeBasi Pharmaceuticals (Pty) Ltd
San Domenico Building, Ground Floor, Unit 6
10 Church Street
Durbanville 7551
South Africa

8. REGISTRATION NUMBER

Will be allocated by SAHPRA upon registration.

9. DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

Will be allocated by SAHPRA upon registration.

10. DATE OF REVISION OF THE TEXT

August 2026